



A 5 element High Gain, Long Boom 144MHz LFA-Q Quad style Yagi



Description

Available through **WiMo Germany** and **DX Engineering in the USA** - for Direct factory supply, Email us for pricing and time lines.

www.dxengineering.com - www.wimo.com

A 5 element Long Boom (2.1m) LFA-Q (Super-rigid Quad-style) Super-Light Quad Style Yagi for 144 - 145MHz

The LFA-Q Packs a bigger punch than a traditional Yagi with MUCH MORE GAIN per metre of boom

If it is GAIN you want from a small boom, this is the antenna for you! Wow, Super compact boom!! Massive 12.2dBi from this antenna!

Another impressive design from G0KSC, **'The Quad has been InnovAted!'** A Quad-style antenna with full wave length loop elements which provide a number of benefits. First, if the elements are of reasonable thickness (as ours are, they are not wire!) then good bandwidth coverage can be achieved. Next, up to around 7 elements (1.5wl) much better gain per metre of boom can be achieved than would otherwise be possible from a traditional Yagi covering the same bandwidth. Finally, with the dual-boom structure and 1/2" diameter elements, the LFA-Q is extremely rigid and can stand up to some serious weather conditions!

IDEAL PORTABLE OR SOTA USE!

Despite it's rigidity, the LFA-Q is extremely lightweight and this means even in strong winds, snow and ice the LFA-Q will hold its own.

Our antennas are constructed with the best quality materials in order that the best mechanical construction can be achieved, not the cheapest and most profitable! Even a digital caliper is used (with an accuracy of .01mm) to measure the elements during production to ensure they are within 0.2mm of what they should be, ensuring they work as well as our software model predicts.



The 5el LFA-Q Long Boom installed at G0EIG

For more information This email address is being protected from spambots. You need JavaScript enabled to view it.

Performance

Gain: 12.2dBi @ 144.3MHz

F/B: 21.01dB @ 144.3MHz

Peak Gain: 12.23dBi

Gain 15m above ground: 18.05dBi

Peak F/B: 21.01dB

Power Rating: 5kw

SWR: Below 1.4:1 from 144MHz to 145MHz

Boom Length: 2.1m

Loop Height: 50cms

Weight: 3.2kg

Safe Wind Speed: 160Kph/100Mph

Turning Radius: 1.5m/4.5ft

Vertical Stacking: 2.4m

Customer comment on the LFA-Q:

"Very nice...assembled and installed over the last two days - even though it arrived over night!"

Performs extremely well - It replaced a MET 144 8T (remember them) that was about 20 years old - the gamma match had become unstable - suspect the trombone dielectric has aged/decayed.

This antenna has great FB like the MET but I think gain is very comparable and bandwidth far, far superior.

Thanks for the great service

Martin VE7MM/G4EZG"

Specification

This antenna is made with a 1/2 inch (12.7mm) and 3/8 inch (9.525mm) diameter tube for the LFA-Q and the boom sections are 1" 25mm diameter. **This antenna is not made cheaply, it is made to perform and to do so for many years with Marine Grade Stainless Steel fixings.**

No figures are made up here as they are in some Ham Radio adverts, all performance figures are verified in the very latest software simulation packages with some antennas being professionally confirmed on an antenna range.

Manufactured the right way, not the cheapest way!

* Where possible marine grade stainless steel components are used.

//