

3 element 144MHz LFA-Q Super-Gainer Quad Style Yagi



A 3 element High Gain, Super-small 144MHz LFA-Q Quad style Yagi

Rating: Not Rated Yet

Price

Sales price £79.95

Sales price without tax £66.63

[Ask a question about this product](#)

Manufacturer [InnovAntennas](#)

Description



A 3 element LFA-Q (Super-rigid Quad-style) Super-Light Quad Style Yagi for 144-146MHz

The LFA-Q Packs a bigger punch than a traditional Yagi with MUCH MORE GAIN per metre of boom

If it is GAIN you want from a small boom, this is the antenna for you! Wow, Super compact boom!!

Rear mount version available contact us for more information

Checkout the TX Factor online review! <http://m0scu.uk/tx-factor-episode-7/>

Another impressive design from G0KSC, **'The Quad has been InnovAted!'** A Quad-style antenna with full wave length loop elements which provide a number of benefits. First, if the elements are of reasonable thickness (as ours are, they are not wire!) then good bandwidth coverage can be achieved. Next, up to around 7 elements (1.5wl) much better gain per metre of boom can be achieved than would otherwise be possible from a traditional Yagi covering the same bandwidth. Finally, with the dual-boom structure and 1/2" diameter elements, the LFA-Q is extremely rigid and can stand up to some serious weather conditions!

IDEAL PORTABLE OR SOTA USE!

Despite it's rigidity, the LFA-Q is extremely light weight and this means even in strong winds, snow and ice the LFA-Q will hold its own.

Quad Yagi (LFA-Q) for 144MHz to 148MHz

Our antennas are constructed with the best quality materials in order that the best mechanical construction can be achieved, not the cheapest and most profitable! Even a digital caliper is used (with an accuracy of .01mm) to measure the elements during production to ensure they are within 0.2mm of what they should be, this ensures they work as well as our software model predicts.

- **Marine grade Stainless Steel Fittings**
- **Original Stauff Insulation clamps**
- **Mill finished boom and elements for highest levels of accuracy**

For more information This email address is being protected from spambots. You need JavaScript enabled to view it.
document.getElementById('cloak95223b294fea05780bc718500e28e4b6').innerHTML = ''; var prefix = 'ma' + 'il' + 'to'; var path = 'hr' + 'ef' + '=';
var addy95223b294fea05780bc718500e28e4b6 = 'justin' + '@'; addy95223b294fea05780bc718500e28e4b6 =
addy95223b294fea05780bc718500e28e4b6 + 'g0ksc' + '.' + 'co' + '.' + 'uk?subject=4el 2m Antenna question'; var
addy_text95223b294fea05780bc718500e28e4b6 = 'Email
here';document.getElementById('cloak95223b294fea05780bc718500e28e4b6').innerHTML +=
["+addy_text95223b294fea05780bc718500e28e4b6+"](mailto:addy_text95223b294fea05780bc718500e28e4b6@);

Performance

Gain: 9.45dBi @ 144.3MHz

F/B: 32.47dB @ 144.3MHz

Peak Gain: 9.6dBi

Gain 10m above ground: 15.32dBi

Peak F/B: 24.25dB

Power Rating: 5kw

SWR: Below 1.4:1 from **144MHz to 145MHz**

Boom Length: 70cms

Loop Height: 50cms

Weight: 1.5kg/3.5lbs

Safe Wind Speed: 210Kph/130Mph

Turning Radius: 0.9m/3ft

Vertical Stacking: 2m

Customer comment on the LFA-Q:

"Very nice...assembled and installed over the last two days - even though it arrived over night!

Performs extremely well - It replaced a MET 144 8T (remember them) that was about 20 years old - the gamma match had become unstable - suspect the trombone dielectric has aged/decayed.

This antenna has great FB like the MET but I think gain is very comparable and bandwidth far, far superior.

Thanks for the great service


Martin VE7MM/G4EZG"

Specification


This antenna is made with a 1/2 inch (12.7mm) and 3/8 inch (9.525mm) diameter tube for the LFA-Q and the boom sections are 3/4" 19mm diameter. **This antenna is not made cheaply, it is made to perform and with Marine Grade Stainless Steel fixings, to do so for many years.**

No figures are made up here as they are in some Ham Radio adverts, all performance figures are verified in the very latest software simulation packages with some antennas being professionally confirmed on an antenna range.


Quad Yagi (LFA-Q) for 144MHz to 148MHz



Azimuth Plot



Elevation Plot 10m above ground



SWR

Manufactured the right way, not the cheapest way!

* Where possible marine grade stainless steel components are used.