

## 3 element 28MHz LFA-Q Quad Beam (3.2m)



A Super High Gain Quad-style beam antenna for 28Mhz for high power 20KW+

Rating: Not Rated Yet

**Price**

Sales price £395.95

Sales price without tax £329.96

[Ask a question about this product](#)

Manufacturer [InnovAntennas](#)

### Description

**For exact postage costs, please [\*\*A 3 element 27-28MHz \(500Khz sections\) LFA-Q Quad-style beam antenna handles 20KW+ !. Second Generation LFA Yagi !\*\*](mailto:This_email_address_is_being_protected_from_spambots.You_need_JavaScript_enabled_to_view_it.document.getElementById('cloak5b2d7b1a4c43fe9bcd57fc39c628614d').innerHTML = ''; var prefix = 'ma' + 'il' + 'to'; var path = 'hr' + 'ef' + '='; var addy5b2d7b1a4c43fe9bcd57fc39c628614d = 'sales' + '@'; addy5b2d7b1a4c43fe9bcd57fc39c628614d = addy5b2d7b1a4c43fe9bcd57fc39c628614d + 'innovantennas' + '.' + 'com?subject=postage%20charge%20-%20antennas'; var addy_text5b2d7b1a4c43fe9bcd57fc39c628614d = 'Email';document.getElementById('cloak5b2d7b1a4c43fe9bcd57fc39c628614d').innerHTML += '+addy_text5b2d7b1a4c43fe9bcd57fc39c628614d+';.</a></b></p></div><div data-bbox=)**

The G0KSC LFA-Q beam antenna provides a new slant on the proven quad style beam antenna. The LFA-Q is a super-strong, super-rigid Quad which provides very high levels of gain for it's size, while at the same time maximising all round performance. Hard to beat with a direct 50 Ohm feedpoint and no matching losses and suppression of unwanted noise due to the closed loop system.


**The LFA-Q is one of the only 11m antennas on the market that will handle 20KW+ out of the box. If you want to run an antenna that can take power that had excellent gain, look no further than the LFA-Q!**

The LFA-Q deploys 2 x 1.5" square booms, one at the top of the structure and one at the bottom, which enable the antenna to be ultra-rigid and stand up to extreme weather conditions such as severe ice and wind loading.

**This 3 element LFA-Q is an excellent option if you do not have space, especially stacked !! 2 at just 8m spacing provides**

**16.6dBi** (when placed 10m above ground)!!

**NOTE:** With all our HF antennas we can custom design your element taper and element size requirements in order to cater for all weather and installation requirements. This email address is being protected from spambots. You need JavaScript enabled to view it. `document.getElementById('cloak2966b942ae238f54875403d568fd0859').innerHTML = ''; var prefix = 'ma' + 'il' + 'to'; var path = 'hr' + 'ef' + '='; var addy2966b942ae238f54875403d568fd0859 = 'info' + '@'; addy2966b942ae238f54875403d568fd0859 = addy2966b942ae238f54875403d568fd0859 + 'innovantennas' + '.' + 'com?subject=HF%20Antenna%20design'; var addy_text2966b942ae238f54875403d568fd0859 = 'Email';document.getElementById('cloak2966b942ae238f54875403d568fd0859').innerHTML += '+addy_text2966b942ae238f54875403d568fd0859+'; e-mail address is being protected from spambots. You need JavaScript enabled to view it us for details.`



#### Performance

**Gain:** 13.81dBi @ 28.5MHz 10m above average ground

**F/B:** 23.77dB @ 28.5MHz

**Peak Gain:** 14.01dBi

**Peak F/B:** 24.00dB

**Power Rating:** 15kw+

**SWR:** Below 1.4:1 from 28.00MHz to 28.500MHz **(Can be adjusted for CW, SSB or mixture of both)**

**Stacking Distance:** 6.5-9m ( 8m recommended)

**2 Stacked Gain @ 9m spacing:** 16.64dBi

**2 Stacked F/B:** 26dBi

**Boom Length:** 3.2m

**Distance between booms:** 1.6m

**Weight:** 9KG / 20LB

**Turning Radius:** 2.651m / 8.7ft

**Wind Survival:** 184KPH

