

4 element 24MHz LFA Yagi HD (5m)

A low-noise 24MHz LFA Yagi

Rating: Not Rated Yet

Price

Sales price £209.97

Sales price without tax £249.96

[Ask a question about this product](#)

Manufacturer [InnovAntennas](#)

Description

Postage £10.00 to UK mainland (not Scottish Highlands) Europe £20.00, for rest of World please This email address is being protected from spambots. You need JavaScript enabled to view it.

document.getElementById('cloak94d521ac69c742520fd27f2d48cc5bf3').innerHTML = ""; var prefix = 'ma' + 'il' + 'to'; var path = 'hr' + 'ef' + '='; var addy94d521ac69c742520fd27f2d48cc5bf3 = 'sales' + '@'; addy94d521ac69c742520fd27f2d48cc5bf3 = addy94d521ac69c742520fd27f2d48cc5bf3 + 'innovantennas' + '.' + 'com?subject=postage%20charge%20-%20antennas'; var addy_text94d521ac69c742520fd27f2d48cc5bf3 = 'Email';document.getElementById('cloak94d521ac69c742520fd27f2d48cc5bf3').innerHTML += '+addy_text94d521ac69c742520fd27f2d48cc5bf3+';

Prices 20% less for customers outside of EU

A 4 element High Performance LFA Yagi

The G0KSC LFA Yagi is a major step forward in the development of the Yagi Antenna, **it provides a low-noise front-end for your radio so you hear more weak signals** while at the same time maximising all round performance. This compact 4 element 24Mhz LFA provides stunning performance across the whole 12m band (24.800 - 25.00MHz). Hard to beat with a direct 50 Ohm feed-point and no matching losses and suppression of unwanted noise !! More information on the LFA Yagi can be found [here](#).

NOTE: With all our HF antennas we can custom design your element taper and element size requirements in order to cater for all weather and installation requirements This email address is being protected from spambots. You need JavaScript enabled to view it. **document.getElementById('cloakbec4f37628247cb07e28390e419040b7').innerHTML = ""; var prefix = 'ma' + 'il' + 'to'; var path = 'hr' + 'ef' + '='; var addybec4f37628247cb07e28390e419040b7 = 'info' + '@'; addybec4f37628247cb07e28390e419040b7 = addybec4f37628247cb07e28390e419040b7 + 'innovantennas' + '.' + 'com?subject=HF Antenna design'; var addy_textbec4f37628247cb07e28390e419040b7 = 'Email';document.getElementById('cloakbec4f37628247cb07e28390e419040b7').innerHTML += '+addy_textbec4f37628247cb07e28390e419040b7+';** [us for details.](#)

24MHz LFA Yagis: 4 element 24MHz LFA Yagi HD (5m)

Performance

8.97dBi @ 24.920MHz

19.23dB @ 24.920MHz

Peak Gain: 9.02dBi

Gain at 10m above Ground: 14.13dBi @ 24.920MHz

Peak F/B: 20.03dB

Power Rating: 5kw

SWR: Below 1.1:1 from 24.890 - 24.980MHz

Boom Length: 4.99m

Weight: 9.07Kg / 20LB

Turning Radius: 3.871m / 12.7ft

Wind Loading: 0.29 Square Metres / 3.11 Square feet

Wind Survival: 167KPH / 104MPH

Other options available if higher wind loading/survival is required.

Stacking Distance: 5-8.5m (6.5m recommended)

2 Stacked Gain @ 6.5m spacing: 11.45dBi

2 Stacked F/B: 21.61dB

2 Stacked Gain @ 6.5m Spacing 12m above ground: 16.38dBi

Specification - Heavy Duty version (lighter duty version available upon request)


This antenna is made with 3/4 inch (19.05mm) centre elements that has 5/8 inch (15.88mm) forming the middle taper section and 1/2 inch (12.7mm) outer elements. The antenna has fully insulated elements which will ensure continuous, high performance for many years to come. Boom to mast brackets are included with all antennas which will support 2 inch (50mm) masts. Boom is 1.5 inch square 16SWG aluminum.

Our antennas are constructed with the best quality materials in order the best mechanical construction can be achieved, not the cheapest and most profitable! Even a digital caliper is used (with an accuracy of .01mm) to measure the elements during production to ensure they are within 0.2mm of what they should be, this ensures they work as well as our software model predicts.


Note: much development time has gone into our antennas, not just on basic electromagnetic design, we are able to model the effect of insulators, booms and other objects to ensure the make up or our antennas have least effect on performance and pattern degradation. More information can be found [here](#)

- **Marine grade Stainless Steel Fittings***
- **Original Stauff Insulation clamps**
- **Mill finished boom and elements for highest levels of accuracy**


24MHz LFA Yagis: 4 element 24MHz LFA Yagi HD (5m)



Azimuth Plot




Elevation Plot




Single 4 element LFA up 12m above ground


24MHz LFA Yagis: 4 element 24MHz LFA Yagi HD (5m)



2 x 4 el LFA Yagi 6.5m apart with the bottom antenna 12m above ground



The 12m LFA element layout



SWR

Manufactured the right way, not the cheapest way!

*Where possible marine grade stainless steel is used.